

Division of Developmental Disabilities Services

The Learning Curve

"Enhancing the Knowledge of DDDS Professionals"

Supplemental Review Questions November 3, 2008 / Volume 2, Issue 3 Facts About Cerebral Palsy

True / False (Circle one):

- 1. T F Cerebral Palsy is caused by abnormalities in parts of the brain that control muscle movements.
- 2. T F The early signs of Cerebral Palsy usually appear before a child reaches 3 years of age.
- 3. T F Cerebral Palsy can be cured if a treatment is provided before age 5.
- 4. T F An individual with Cerebral Palsy often has difficulty speaking clearly.
- 5. T F Most individuals with Cerebral Palsy learn as quickly as anyone else and most can do many things.

Fill in the Blanks:

6.	The rate of is three or four times higher in people with disabilities such as Cerebral Palsy.
7.	Forty-five percent of children with Cerebral Palsy also develop mild or severe
8.	The majority of individuals with Cerebral Palsy experience by the time they reach their 40's because of stress and strain the disease puts on their bodies.
9.	Issues related to often go unrecognized by health care providers since individuals with Cerebral Palsy may not be able to describe the extent or location of their
10.	Most adults with Cerebral Palsy experience what is called, a combination of pain, fatigue, and weakness due to muscle abnormalities, bone deformities, overuse syndromes and arthritis.